

SECTION 2 - CONSUMABLE ITEMS



Lighting



9W GU10 Fluorescent Lamp for Recessed Downlighters in the Lobby.

18W PL-DE Compact Fluorescent Lamp for Recessed Downlighters on Balconies (where appropriate).

50W 12V M258 Low Voltage Lamp for Recessed Downlighters in the Kitchen Area.

50W 12V M74 Low Voltage Lamp for Recessed Downlighters in the Bathroom & Bedroom Areas.

Project: Betham Tower Apartments		Document Ref.: 2202592							
Luminaire Ref: and Symbol: A1		Manufacturer:/Supplier Independent Lighting Specialists Ltd Unit M1 Cody Court Manchester M50 2GE							
Illustration: 		Catalogue No's: OL/SHI.MW IP44							
Data:  <table border="0" style="margin-left: 100px;"> <tr> <td>Height</td> <td>130 mm</td> </tr> <tr> <td>Diameter</td> <td>107 mm</td> </tr> <tr> <td>Cutout</td> <td>95 mm</td> </tr> </table>		Height	130 mm	Diameter	107 mm	Cutout	95 mm	Finish/Colour/IP: Matt White	
Height	130 mm								
Diameter	107 mm								
Cutout	95 mm								
Lamp Manufacturer and Lamp Ref: 12V M74 5000 Hour capsule lamp		Notes: For use with 12v 20-60 va electronic transformer SY1507							
Watts: 50	°K: 	CRI: 	Cap: GY6.35						

Project: Betham Tower Apartments		Document Ref.: 2202592									
Luminaire Ref: and Symbol: A3		Manufacturer:/Supplier Independent Lighting Specialists Ltd Unit M1 Cody Court Manchester M50 2GE									
Illustration: 		Catalogue No's: WW311.01									
Data: 12V wall washer cast downlighter 12V 50W GX5.3 100mm dia. 100mm deep 100mm dia. 100mm deep 100mm dia. 100mm deep 100mm dia. 100mm deep		Description: 12V 50w GX5.3 recessed fully adjustable wall wash downlighter with fixed enclosed terminal cover Supplied c/w SY1507 12v 20-60 electronic transformer Lamp supplied by others									
Lamp Manufacturer and Lamp Ref: ANY M258 12v		Finish/Colour/IP: White									
Notes: 		<table border="1"> <tr> <td>Watts:</td> <td>°K:</td> <td>CRI:</td> <td>Cap:</td> </tr> <tr> <td>50</td> <td></td> <td></td> <td>GX5.3</td> </tr> </table>		Watts:	°K:	CRI:	Cap:	50			GX5.3
Watts:	°K:	CRI:	Cap:								
50			GX5.3								